

IN THE CLAIMS:

Please amend Claims 29, 37, 45 and 46 and add new Claim 47 as shown below. The claims, as pending in the subject application, read as follows:

1. to 28. (Canceled)

29. (Currently amended) A printing system which enables a printing device to print data transmitted by a remote computer, said system comprising:

a store controller unit that causes a memory unit to store print data of a first type job transmitted by said remote computer, wherein said first type job is not a second type job to which a first request by using user interface provided by said remote computer is not performed;

a user interface controller unit that causes a user interface unit of said printing device to perform display for selecting at least one of a plurality of data including the print data which has been stored in said memory unit; and

an operation controller unit that causes said printing device to perform a first operation relating to a second operation, wherein the first operation is an operation for printing scan image data obtained by using a scanner unit to a sheet needed as a cover, wherein the second operation is an operation for printing the print data selected by using,

wherein the print data of the first type job is stored in the memory unit without starting a printing by said printing device in accordance with receiving the first request via said user interface provided by said remote computer,

wherein a printing result of the scan image data is attached to printing results of the print data as a bundle of printing results, and

wherein the bundle of printing results is obtained by performing the first operation and the second operation sequentially in response to ~~receiving~~ inputting a single user instruction as a second request via said user interface unit of said printing device, and

wherein the print data is obtained before inputting the single user instruction and the scan image data is obtained after inputting the single user instruction.

30. (Previously presented) A printing system according to Claim 29, wherein, in the case where the job output from said remote computer is said first type job corresponding to the job that the first request was performed in said remote computer, said store controller unit causes said memory unit to store the data of said first type job in a state of raster image data without starting of the printing by said printing device.

31. (Previously presented) A printing system according to Claim 29, wherein said user interface controller unit causes said user interface unit of said printing device to display as said display a list screen formed to be able to discriminate document names of said plurality of jobs.

32. (Previously presented) A printing system according to Claim 29, wherein, in the case where said first type job is selected from said plurality of jobs via the display and in a case where a third request is performed via said user interface unit of said printing device, said operation controller unit causes said printing device to execute a third

operation that performs printing of scan image data of two pages obtained by using the scanner unit to two sheets needed as a front cover sheet and a back cover sheet of a print of said first type job without performing said first operation, and causes said printing device to execute said second operation.

33. (Previously presented) A printing system according to Claim 29, wherein, in the case where said first type job is selected from said plurality of jobs via the display and in a case where a fourth request is performed via said user interface unit of said printing device, said operation controller unit causes said printing device to execute a fourth operation that performs printing of scan image data of three pages obtained by using the scanner unit to a plurality of insert sheets to be inserted to a print of said first type job without performing said first operation, and causes said printing device to execute said second operation.

34. (Previously presented) A printing system according to Claim 29, wherein, in the case where said first type job is selected from said plurality of jobs via the display and in a case where a fifth request is performed via said user interface unit of said printing device, said operation controller unit causes said printing device to execute a fifth operation that performs printing of scan image data of four pages obtained by using the scanner unit to a plurality of insert sheets to be inserted to a print of said first type job without performing said first operation, and causes said printing device to execute said second operation.

35. (Previously presented) A printing system according to Claim 29, wherein, in a case where a specific instruction is input via said user interface unit of said printing device before said second request, said operation controller unit causes to delete the data of said first type job from said memory unit after completion of said second operation.

36. (Previously presented) A printing system according to Claim 29, wherein, in a case where a job output from said remote computer is said second type job, said operation controller allows that printing of data of said second type job is started by said printing device.

37. (Currently amended) A controlling method of a printing system which enables a printing device to print data transmitted by a remote computer, the method comprising:

causing a memory unit to store print data of a first type job transmitted by said remote computer, wherein said first type job is not a second type job to which a first request by using a user interface provided by said remote computer is not performed;

causing a user interface unit of said printing device to perform display for selecting at least one of a plurality of data including the print data which has been stored in said memory unit; and

causing said printing device to perform a first operation relating to a second operation, wherein the first operation is an operation for printing the print data selected by using the display,

wherein the print data of the first type job is stored in the memory unit without starting a printing by said printing device in accordance with receiving the first request via said user interface provided by said remote computer,

wherein a printing result of the scan image data is attached to printing results of the print data as a bundle of printing results, ~~and~~

wherein the bundle of printing results is obtained by performing the first operation and the second operation sequentially in response to ~~receiving~~ inputting a single user instruction as a second request via said user interface unit of said printing device, and

wherein the print data is obtained before inputting the single user instruction and the scan image data is obtained after inputting the single user instruction.

38. (Previously presented) A controlling method according to Claim 37, wherein, in the case where the job output from said remote computer is said first type job corresponding to the job that the first request was performed in said remote computer, said controlling method causes said memory unit to store the data of said first type job in a state of raster image data without starting of the printing by said printing device.

39. (Previously presented) A controlling method according to Claim 37, wherein said controlling method causes said user interface unit of said printing device to display as said display a list screen formed to be able to discriminate document names of said plurality of jobs.

40. (Previously presented) A controlling method according to Claim 37, wherein, in the case where said first type job is selected from said plurality of jobs via the display and in a case where a third request is performed via said user interface unit of said printing device, said controlling method causes said printing device to execute a third operation that performs printing of scan image data of two pages obtained by using the scanner unit to two sheets needed as a front cover sheet and a back cover sheet of a print of said first type job without performing said first operation, and causes said printing device to execute said second operation.

41. (Previously presented) A controlling method according to Claim 37, wherein, in the case where said first type job is selected from said plurality of jobs via the display and in a case where a fourth request is performed via said user interface unit of said printing device, said controlling method causes said printing device to execute a fourth operation that performs printing of scan image data of three pages obtained by using the scanner unit to a plurality of insert sheets to be inserted to a print of said first type job without performing said first operation, and causes said printing device to execute said second operation.

42. (Previously presented) A controlling method according to Claim 37, wherein, in the case where said first type job is selected from said plurality of jobs via the display and in a case where a fifth request is performed via said user interface unit of said printing device, said controlling method causes said printing device to execute a fifth operation that performs printing of scan image data of four pages obtained by using the

scanner unit to a plurality of insert sheets to be inserted to a print of said first type job without performing said first operation, and causes said printing device to execute said second operation.

43. (Previously presented) A controlling method according to Claim 37, wherein, in a case where a specific instruction is input via said user interface unit of said printing device before said second request, said controlling method causes to delete the data of said first type job from said memory unit after completion of said second operation.

44. (Previously presented) A controlling method according to Claim 37, wherein, in a case where a job output from said remote computer is said second type job, said controlling method allows that printing of data of said second type job is started by said printing device.

45. (Currently amended) A computer-readable storage medium storing a computer-executable program for executing a controlling method of a printing system which enables a printing device to print data transmitted by a remote computer, by a printing device, said method comprising:

causing a memory unit to store print data of a first type job transmitted by said remote computer, wherein said first type job is not a second type job to which a first request by using a user interface provided by said remote computer is not performed;

causing a user interface unit of said printing device to perform display for selecting at least one of a plurality of data including the print data which has been stored in said memory unit; and

causing said printing device to perform a first operation relating to a second operation, wherein the first operation is an operation for printing scan image data obtained by using a scanner unit to a sheet needed as a cover, wherein the second operation is an operation for printing the print data selected by using the display,

wherein the print data of the first type job is stored in the memory unit without starting a printing by said printing device in accordance with receiving the first request via said user interface provided by said remote computer,

wherein a printing result of the scan image data is attached to printing results of the print data as a bundle of printing results, ~~and~~

wherein the bundle of printing results is obtained by performing the first operation and the second operation sequentially in response to ~~receiving~~ inputting a single user instruction as a second request via said user interface unit of said printing device, and

wherein the print data is obtained before inputting the single user instruction and the scan image data is obtained after inputting the single user instruction.

46. (Currently Amended) A printing system comprising:

a unit configured to control a scanner to obtain first data;

a unit configured to cause a memory unit to store ~~first~~ second data ~~obtained by using a first data source;~~

a unit configured to cause a printer to print the first data obtained by using the scanner;

a unit configured to cause the printer to print the second data ~~obtained by using a second data source~~ stored in the memory unit; and

a unit configured to make certain printing results, the certain printing results being obtained by printing the first data and second data sequentially in response to ~~receiving a predetermined instruction~~ inputting a single user instruction via a user interface,
and

wherein the first data is obtained after inputting the single user instruction and the second data is obtained before inputting the single user instruction.

47. (New) A printing system according to Claim 46, wherein the first data is obtained by causing the scanner to perform a scanning operation after inputting the single user instruction.